

## signa® 6 pure air® II bath

the signa® pure air® II bath takes its name from the medieval central Italian walled city, lastra a signa.



Like the walled city for which it is named, Signa® 5 was specially developed and designed for walled surround spaces.

### features:

- Exclusive 360° Balanced Airflow™ system
- 600 watt variable speed heated air blower
- Thermal Lumbar Comfort™ (TLC)
- Timed purge cycle
- Safely use salts and aromatic oils
- PrO3™ Sanitation System

### signa® 6 pure air® II bath

model number: EA90 – RH Blower

exterior dimensions:

**72" long x 42" wide x 22" high**

interior dimensions (at bottom):

**50" long x 24" wide**

operating gallons:

**81 gallons**





# Signa® 6 Pure Air® II Bath

Model: EA90

## Ordering Information

Product Code:

EA90 Signa® 6 Pure Air II Bath  
Right Hand

- Center Drain Location
- Accessories / Hardware:
  - Trip-Lever Drain Kit #X559
  - Rotary Trip-Lever Drain Kit: #K606
- Trim Kit Finishes Available:
  - (827) - Chrome
  - (898) - Brushed Chrome
  - (815) - Satin Nickel
  - (829) - Bright Brass
  - (805) - Platinum
  - (826) - Brushed Nickel
  - (849) - Oil Rubbed Bronze

## Installation Notes

Refer to installation instructions included with fixture before beginning installation. Please confirm product availability and specifications before commencing with any installation work.

PRODUCT SPECIFICATIONS AND AVAILABILITY ARE SUBJECT TO CHANGE WITHOUT NOTICE.

## Technical Specifications

### Dimensions

72" L x 42" W x 22" H  
(1829 mm) L x (1067 mm) W x (559 mm) H

### Drain/Overflow

A: 16-7/8" (429 mm) B: 14" (356 mm)

### Cutout

70" x 40" (1778 mm x 1016 mm)

### Total Weight

1287 lb (584 kg)/61.3 lb/ft<sup>2</sup> (299 kg/m<sup>2</sup>)

### Operating Gallonage

81 U.S. Gal. (307 Liters)  
Min. 62 U.S. gal (235 liters)  
Max. 103 U.S. gal (389 liters)

### Product Weight

154 lb (70 kg)

### Skirt Mounting

Not Available


### Electrical Specifications

Requires a dedicated GFCI protected separate circuit.

Blower: 120 VAC, 15 AMP, 60 Hz.

### Heater


No water heater is available on this unit. Blower has integral air heater.




Product Shown: Signa® 6 Pure Air II Bath Right Hand Model: EA90

\* Measurements inside unit represent cutout in floor to allow for drain/overflow.


Minimum Service Access dimensions given.



SIDE VIEW



END VIEW



DRAIN/OVERFLOW

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>