

Your Smart Integrator!



SRC-3200

Touch Screen Remote Control

- ▶ **8 In One** - Integrates up to 8 home devices into one remote control.
- ▶ **Macro Feature** - Allows you to store up to 60 commands within one key!
- ▶ **Seven Different Backlight options** enable you to choose your favorite color illumination.
- ▶ **Modern stylistic Design** attracts your attention at a glance!
- ▶ **Combines both LCD Touch Screen and Rubber keys** for easy use.
- ▶ **User friendly interface** - Operate all devices in a snap.
- ▶ **PC software support.**



Features

- ◆ Enable to control up to 8 devices
- ◆ Variety of LED backlight colors provide up to 7 different choices
- ◆ Smart Macro automatically guides user through set-up procedure by learning directly
- ◆ “Function lock” protects users from accidentally changing or deleting original set-up
- ◆ Redesigned learning function provides solution for both existing tricky and upcoming new codes at the same time
- ◆ “Pick Up Sensor” not only turns on and off the remote automatically, but also saves power when not using the remote
- ◆ “Auto Set-up Saving” protects user’s set-up from losing even taking batteries off
- ◆ “Low Power Indicator” reminds user of power low condition by showing a warning sign on the screen
- ◆ Optional on-line support allows user to upgrade the latest version of software by internet

Specifications

- | | |
|---|--|
| <ul style="list-style-type: none"> • Dimensions (W x H x L): 64 x 23 x 220 (mm) • Weight(without batteries): 8.5 oz (240 g) • Memory: 512KB Flash memory • Keys: 59 Keys/ 2 Pages/ 8 Device • Learning Frequency: 20KHz - 455KHz & Pulse up to 256 bits long • Backlight: Multicolor LED | <ul style="list-style-type: none"> • Interface: UART/ 115,200bps (Optional SLC-2080 USB Cable) • IR Distance: 8 - 10 meters • Batteries: 1.5V 4 X AAA Alkaline Batteries (SUM-4) • Power Consumption <ul style="list-style-type: none"> Operation current: 170 mA (max) LCD on current: 160 μA LCD off current: 40 μ |
|---|--|



This device complies with Part 15 of the FCC rules.

SUNWAVE
Simple Control, Easy Life

Mail: info@sunwave.com.tw <http://www.sun-wave.com>
Tel: +886-2-8751-8555 Fax: +886-2-8751-8287
Address: 6F-5, No. 103, RuiHu St., Neihu District, Taipei, Taiwan 114

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>