

# Operation Guide 5412

CASIO®


## Basic Operations

This section provides an overview of the watch and its operations.

### Note


- The illustrations included in this manual have been created to facilitate explanation. An illustration may differ somewhat from the item it represents.

## General Guide



- Hour hand
- Second hand
- Minute hand
- 24-hour hand
- Small minute hand
- Small hour hand
- Mode hand
- Day indicator
- Crown


## Watch Face Items



- Time calibration reception in progress
- GPS signal time information and position information acquisition in progress
- GPS signal time information reception in progress
- Signal receive result
- Summer time setting
- Stopwatch Mode
- Airplane Mode
- Day of the week

## Navigating Between Modes

This watch has a Timekeeping Mode and a Stopwatch Mode.



**Timekeeping Mode:**

Normally the mode hand points to the current day of the week.

In the Airplane Mode, the mode hand points to ✈.

**Stopwatch Mode:**

The mode hand always points to "STW", even in the Airplane Mode.


Use the (C) button to navigate between modes.

- Hold down (C) for at least two seconds to return to the Timekeeping Mode.
- Holding down (C) for four seconds or longer will enter or exit the Airplane Mode.

[Using the Watch on an Aircraft](#)

## Using the Crown

Depending on the operation you want to perform, pull out the crown to the first or second click and then rotate it.



### Important!

- To prevent loss of water resistance and/or damage due to impact, be sure to push the crown in to its normal position after you are finished using it.
- When pushing the crown back in, take care not to apply too much force.

## Fast Forward/Fast Reverse

After pulling out the crown, rotating it quickly in succession in either direction will start a fast forward or fast reverse operation. While a fast forward operation is in progress, quickly rotating the crown in succession again will increase the speed even further.

- The fast reverse operation speed is fixed and cannot be changed.

## Stopping Fast Forward/Fast Reverse

Rotate the crown in the direction opposite that of the ongoing operation or press any button.

### Note

- If you do not perform any operation for about two minutes after pulling out the crown, crown operations will automatically become disabled. If that happens, push the crown back in and then pull it out again.

## Solar Charging

### What is solar charging?

This watch runs on power supplied from a rechargeable (secondary) battery that is charged by a solar panel. The solar panel is integrated into the face of the watch, and power is generated whenever the face is exposed to light.


- This watch uses a special rechargeable (secondary) battery.
  - The watch's battery will not charge if the watch's temperature is less than approximately  $-10^{\circ}\text{C}$  ( $14^{\circ}\text{F}$ ) or greater than approximately  $60^{\circ}\text{C}$  ( $140^{\circ}\text{F}$ ).
  - Over-discharge will occur if the watch is not charged within approximately three months after it stops operation due to low battery power. Charging may not be possible after over-discharge occurs.

## Charging the Watch

When you are not wearing the watch, put it in a location where it is exposed to bright light.



While you are wearing the watch, make sure that its face (solar panel) is not blocked from the light by the sleeve of your clothing. Power generation efficiency is reduced even when the face of the watch is blocked only partially.



### Important!

- If the second hand stops for some time after the watch is continuously exposed to light, it could mean that charging is not possible due to over-discharge. Request chargeable (secondary) battery replacement by your original retailer or authorized CASIO service center.
- Depending on light intensity and local conditions, the watch may become hot to the touch when exposed to light for charging. Take care to avoid burn injury after charging. Also, avoid charging the watch under high-temperature conditions like the ones described below.
  - On the dashboard of a vehicle parked in the sun
  - Near an incandescent light bulb or other source of heat
  - Under direct sunlight or in other hot areas for long periods

### Note

- Exposing the watch face to light after the battery goes dead will cause the second hand to revolve counterclockwise until it stops at second 57. This indicates charging has started.
- A fully charged watch can operate for approximately seven months without further charging. Watch operation will stop approximately 20 days after the battery goes low.

## Charging Times

Light Intensity		Charge Level 1	Charge Level 2
High ↓ Low	①	8 hours	27 hours
	②	26 hours	102 hours
	③	41 hours	165 hours
	④	450 hours	-

### Charge Level 1:

Time from dead battery until hand movement starts

### Charge Level 2:

Time from hand movement starts until a full charge

### Light Intensity

- ① Sunny day, outdoors (50,000 lux)
- ② Sunny day, near a window (10,000 lux)
- ③ Overcast day, near a window (5,000 lux)
- ④ Indoor fluorescent lighting (500 lux)

### Note

- Actual charging time depends on the local charging environment.

## Checking the Charge Level


The charge level is indicated by watch hand movement. Functions become disabled as battery power goes low.

### Important!


- Should battery go low or go dead, expose the face (solar panel) to light as soon as possible.

Immediately after pressing (C) to enter to the Timekeeping Mode, the second hand will move to one of the positions below to indicate the battery charge level.


### • Battery Charged



### • Low Battery Power



Also, the second hand jumps at two-second or five-second intervals.



- Above right figures indicate a lower battery charge.

### • Dead Battery

All hands are stopped.



## Power Saving Function

Leaving the watch in a dark location for about one hour between the hours of 10 p.m. and 6 a.m. will cause the second hand to stop, and the watch will enter Level 1 power saving. If the watch is left in this condition for six or seven days, all hands will stop and the watch will enter Level 2 power saving.

Level 1:

Basic timekeeping functions are operational.

Level 2:

Only the day indicator is operational.

### Note

- Note that the watch also may enter the power saving state if its face is blocked from light by your sleeve while you are wearing it.
- The watch will enter power saving from the Timekeeping Mode only.

## ● Recovering from Power Saving Operation

Press any button or place the watch in a well-lit area to recover from power saving.

## Time Adjustment (GPS, Time Calibration Signal)

The watch's time, day, and Home City (time zone) settings can be configured in accordance with a received GPS signal or time calibration signal.

- GPS signal position information: Used to update Home City (time zone), time, and day settings.
- GPS signal time information: Used to update time and day settings.
- Time calibration signal: Used to update time and day settings.

### Important!

- Before trying to receive GPS signal time information and/or a time calibration signal, first use GPS to acquire position information and configure Home Time (time zone) settings.
- Put the watch into the Airplane Mode whenever you are inside an aircraft or in any other area where radio wave reception is prohibited or restricted.  
📶 [Using the Watch on an Aircraft](#)

### Note

- Areas where time calibration signal reception is supported are limited. When the watch in an area where time calibration signal reception is not supported, adjust time and day settings based on GPS signals.  
📶 [Time Calibration Signal Reception Ranges](#)

## Time Adjustment Using GPS

### Appropriate Signal Reception Location

GPS signal reception is possible outdoors where the sky is visible and not blocked by buildings, trees, or other objects.



### Note

- In areas where reception is poor, keep the watch face oriented upwards and do not move the watch.
- When the watch is set up for auto receive, take care to avoid covering the watch face with the sleeve of your clothing.
- GPS signal reception is not possible in the areas described below.
  - Where the sky is not visible
  - Indoors (Reception may be possible near a window.)
  - Near wireless communication equipment or other devices that generate magnetism.
- You may experience GPS signal reception problems in the areas described below.
  - Where the view of the sky above is narrow
  - Near trees or buildings
  - Near a train station, airport, or other congested areas

## Acquiring GPS Position Information Manually

You can use a button operation to acquire GPS position information and adjust your Home City (time zone), time, and day settings in accordance with your current location.

### Note


- GPS signal reception requires large amounts of power. Perform it only when necessary.

### Getting ready


The receive operation is performed only while the watch is in the Timekeeping Mode (normal timekeeping).

- Normally the mode hand points to the current day of the week.


### 🔗 Navigating Between Modes



1. Move to a location appropriate for signal reception and orient the watch so its display is pointed straight up at the sky.
2. Hold down (B) for at least three seconds. Release the button as soon as the second hand points to "T+P".
  - The second hand will move in the following sequence: "YES" or "NO" → "T (TIME)" → "T+P".
  - This indicates that position information acquisition has started.



- If position information acquisition is successful, the second hand will move to "YES" and then the watch will automatically adjust its time and day settings.



- If position information acquisition fails for some reason, the second hand will move to "NO" and then the watch will indicate the current time and day without adjusting them.

### Note

- Reception takes anywhere from about 30 seconds to about two minutes.
- It can take as long as 13 minutes when leap second information is included.
- You may experience location information acquisition problems when you are in the vicinity of a time zone borderline. The watch's time and day will not be indicated correctly if the Home City (Time Zone) setting is not right for your location. Perform position information acquisition in a representative city in your time zone or in a location that is well within the time zone. Or you can perform a time information receive operation to adjust time and day settings after configuring Home City (Time Zone) and summer time settings manually.
  - 🔗 [Selecting a Time Zone](#)
  - 🔗 [Acquiring GPS Time Information Manually](#)

## Acquiring GPS Time Information Manually

You can use a button operation on the watch to receive GPS signal time information. When the receive operation is successful, the watch's Home City (time zone), day, and time settings will be adjusted accordingly.

### Note


- GPS signal reception requires large amounts of power. Perform it only when necessary.

### Getting ready


The receive operation is performed only while the watch is in the Timekeeping Mode (normal timekeeping).

- Normally the mode hand points to the current day of the week.


### 🔗 Navigating Between Modes



1. Move to a location appropriate for signal reception and orient the watch so its display is pointed straight up at the sky.
2. Hold down (B) for at least one second. Release the button as soon as the second hand points to "T (TIME)".
  - The second hand will move in the following sequence: "YES" or "NO" → "T (TIME)".
  - This indicates that time information receipt has started.



- If information acquisition is successful, the second hand will move to “YES”, and then the watch will automatically adjust its time and day settings.



- If reception fails for some reason, the second hand will move to “NO” and then the watch will indicate the current time and day without adjusting them.

### Note

- Reception takes anywhere from about seven seconds to about one minute.
- It can take as long as 13 minutes when leap second information is included.

### Auto GPS Signal Receive

When the conditions below are satisfied, the watch will automatically receive a GPS signal. If any time information receive is successful, the watch will no longer attempt to receive a signal for the rest of the day.

#### • Time data

- **Watch is in the Timekeeping Mode (normal timekeeping).**
- Current time is between 6:00 a.m. and 10:00 p.m.
- Light (near a window on a clear day) continually shining on the face of the watch for about one to two minutes.
- Time calibration signal reception was not successful during the previous evening.

#### • Position information

- **Watch is in the Timekeeping Mode (normal timekeeping).**
- The watch exited the Airplane Mode.
- Current time is between 6:00 a.m. and 10:00 p.m.
- Light (near a window on a clear day) continually shining on the face of the watch for about one to two minutes.

### Note

- The time information receive operation takes anywhere from about seven seconds to one minute, while position information acquisition takes anywhere from about 30 seconds to two minutes.
- The receive operation can take as long as 13 minutes when leap second information is included.

### Leap seconds

A GPS signal received on or around June 1 or December 1 each year may also include leap second information.

### Note


- The receive operation can take as long as 13 minutes when leap second information is included.
- Once leap second information is successfully received, the watch will not make any attempt to receive it again until the next leap second information is sent (the following June 1 or December 1).

## Time Adjustment Using a Time Calibration Signal

### Appropriate Signal Reception Location

A time calibration signal can be received while the watch is near a window.

- Keep metal objects away from the watch.
- Do not move the watch.
- Do not perform any operation on the watch.




### Note

- You may experience time calibration signal reception problems in the areas described below.
  - Among or near buildings
  - While riding in a vehicle
  - Near household appliances, office machines, mobile phones, etc.
  - On a construction site, in an airport, or any other location where radio wave interference occurs
  - Near high-voltage lines
  - In mountainous areas or behind a mountain


## Time Calibration Signal Reception Ranges

Time calibration signal reception is supported in the areas shown below.


### ● Japan Time Calibration Signal (JJY)




### ● Chinese Time Calibration Signal (BPC)



### ● U.S. Time Calibration Signal (WWVB)



### ● U.K. (MSF) and German (DCF77) Time Calibration Signal



#### Note

- Even if you are within the normal reception range of a time calibration signal, reception may be made impossible by the following factors: geographic contours, weather, the season, the time of day, wireless noise.


## Auto Time Calibration Signal Receive

An automatic time calibration signal receive operation is performed and the time and day settings are adjusted between midnight and 5:00 a.m. Once a signal receive operation is successful, no more auto receive operations are performed that day.

The receive operation is performed only while the watch is in the Timekeeping Mode (normal timekeeping).

- Normally the mode hand points to the current day of the week.

### 🔗 Navigating Between Modes



Place the watch near a window or some other location appropriate for signal reception.

- The second hand points to “RC” while time calibration reception is in progress.
- When the receive operation is successful, the time and day settings will be adjusted automatically.

#### Note

- Reception takes anywhere from about two minute to about 10 minutes. It can take as long as 20 minutes.

## Checking the Receive Operation Result

You can use the procedure below to check the result of the last GPS or time calibration signal receive operation.

### Getting ready

Enter the Timekeeping Mode.


### 🔗 Navigating Between Modes

1. Press (B).

The second hand will move and indicate the receive operation result.

“YES”: Receive successful

“NO”: Receive failed



2. Press (B) or do not perform any operation for one or two seconds to return to the current time.

#### Note

- Even if there was a successful receive operation, the second hand will point to “NO” if you adjusted the time setting manually.

## Signal Reception Precautions

- GPS signal and time calibration signal reception will not be possible under any of the watch conditions described below.
  - While battery power is low
  - While the watch is in the Airplane Mode or Stopwatch Mode
  - When power saving is at Level 2 (GPS signal reception also is not possible at Level 1.)
  - While the crown is pulled out
  - While the stopwatch is measuring elapsed time
  - While the temperature of the watch is less than approximately -10°C (14°F) or greater than approximately 60°C (140°F)


- Note that an internal decoding process the watch performs after it receives a signal may cause the time setting to be slightly off (by less than one second).
- If the receive operation is successful, the time and day settings will be adjusted automatically in accordance with the Home City (time zone) and summer time settings. Summer time will not be applied correctly in the cases described below.
  - When the summer time start date and time, end date and time, or other rules are changed by authorities
  - When position information cannot be acquired correctly
  - When position information can be acquired, but it is wrong because the watch is located near a time zone boundary, etc.
- As of December 2013, China does not observe summer time. If China starts to observe summer time in the future, the time displayed by the watch for China may not be correct.
- When the watch is unable to adjust its time in accordance with a calibration signal for some reason, average timekeeping accuracy is within  $\pm 15$  seconds per month.

## Using the Watch on an Aircraft

Enter the Airplane Mode when in an aircraft or anywhere else where GPS or time calibration signal reception is restricted.

## Entering the Watch Airplane Mode

Holding down (C) for about four seconds to enter the watch's Airplane Mode. The mode hand will move to the Airplane mark.



- Each time the (C) button is held down for about four seconds, the watch enters or exits the Airplane Mode.

## World Time

World Time lets you look up the current time in any one of 27 cities and 40 time zones around the globe.

### Getting ready


Enter the Timekeeping Mode.

[Navigating Between Modes](#)

## Checking the Time in Another Zone

1. Pull out the crown to the first click.


The hands of the watch will move to the current time in the currently selected World Time City.



2. Rotate the crown to change the time zone.

The small hour hand and small minute hand indicate the current time in the selected time zone.


- Hold down the (B) button for about one second to display UTC (Universal Time Coordinated) time.



3. Hold down the (A) button for about one second to change the summer time setting.

- Each press of (A) cycles through available settings in the sequence shown below.

“AT (AUTO)” → “STD” → “DST”



- “AT (AUTO)”  
The watch switches between standard time and summer time automatically.
- “STD”  
The watch always indicates standard time.
- “DST”  
The watch always indicates summer time.

4. Push the crown back in.

### Note

- When a time zone for which there is no city name displayed is selected, use “STD” or “DST” for the summer time setting.
- You cannot switch between “STD” and “DST” while “UTC” is selected as the Home City (time zone).

## Stopwatch

The stopwatch measures elapsed time in units of 1/20 (0.05) seconds up to 23 minutes, 59.95 seconds (24 minutes).


### Getting ready

Enter the Stopwatch Mode.

 [Navigating Between Modes](#)



## Measuring Elapsed Time



1. Use the operations below to measure elapsed time.

- (A) Start
- ↓
- (A) Stop
- ↓
- (A) Resume
- ↓
- (A) Stop

- The stopwatch 1/20 (0.05)-second hand will move for the first 30 seconds after an elapsed time measurement operation is started, and then stop. When the elapsed time measurement operation is stopped, the hand will move to the appropriate position to indicate the final 1/20 (0.05)-second count.
2. Press (B) to reset the elapsed time to all zeroes.
  3. Press (C) to return to the Timekeeping Mode.

## Adjusting Time Settings Manually

You can use the procedure below to adjust the watch's time and day settings when GPS and time calibration signal reception is not possible for some reason.


### Selecting a Time Zone

Use the procedure in this section to select a city (time zone) to use as your Home City. If you are in an area that observes summer time, you can also enable or disable summer time.


#### Note

- The initial factory default summer time setting for all cities (time zones) is "AT (AUTO)". With this setting, the watch automatically switches between summer time and standard time as required. The "AT (AUTO)" setting lets you use the watch without worrying about changing the summer time setting.
- When performing a manual operation to select a time zone for which there is no city name displayed, use "STD" or "DST" for the summer time setting.
- In the cases described below, receiving GPS position information will automatically cause "AT (AUTO)" to be selected for the summer time setting.
  - When the time zone of the current receive operation is different from the watch's time zone setting prior to the receive operation.
  - When the time zone is unchanged, but the acquired position information is for a geographic area with different summer time rules (start date, end date)

1. Pull out the crown to the second click. The second hand will move to the currently selected time zone.



2. Rotate the crown to change the time zone.
  - You can also select a time zone whose name is not indicated on the face of the watch.
  - For information about time zones, see the "City (Time Zone) List".
3. Hold down (A) for about one second to change the summer time setting.
  - Each press of (A) cycles through available settings in the sequence shown below.  
"AT (AUTO)" → "STD" → "DST"



- "AT (AUTO)"  
The watch switches between standard time and summer time automatically.
  - "STD"  
The watch always indicates standard time.
  - "DST"  
The watch always indicates summer time.
4. Push the crown back in to its normal position.




## Summer Time


Summer time, which is also known as Daylight Saving Time (DST), advances the time setting one hour, 30 minutes, or some other amount of time from standard time (STD) during the summer months. Whether or not and how summer time is used depends on your country or local area. Summer time is not used in some countries and local areas.

## Adjusting the Time and Day Setting

1. Pull out the crown to the second click. The second hand will move to the currently selected time zone.




2. Hold down (C) for about 10 seconds. This causes the second hand to move to 12 o'clock and enables the hour and minute setting operation.
3. Rotate the crown to adjust the hour and minute settings.
4. Press (C). This enables the year 10's digit setting operation.



5. Rotate the crown to move the second hand to the desired setting for the year ten's digit.

6. Press (C).


This enables the year one's digit setting operation.



7. Rotate the crown to move the second hand to the desired setting for the year one's digit.

8. Press (C).


This changes to the month setting operation.



9. Rotate the crown to change the month.

10. Press (C).

This changes to the day setting operation.



11. Rotate the crown to change the day.

12. On a time signal at the top of a minute, push the crown back in.

## Adjusting Hand and Day Indicator Alignment

Strong magnetism or impact can cause the time indicated by the hands and the day indicator to go out of alignment. If this happens, adjust hand and day indicator alignment.


- The watch performs alignment of the hour hand, minute hand, second hand, and 24-hour hand automatically.

## Adjusting Hand and Day Indicator Alignment

1. Pull out the crown to the second click.
2. Hold down (B) for about five seconds, until the second hand moves to 12 o'clock.

This will start auto alignment of the hour hand, minute hand, second hand, and 24-hour hand.


- After auto alignment is complete, the hands should be in the positions shown below.



- If the 24-hour hand is off by 12 hours, hold down (A) for about two seconds. The 24-hour hand will move to 12 o'clock.

3. Press (C).


Confirm that the small hour hand and small minute hand are stopped at 12 o'clock.



4. If the small hour hand and small minute hand are not at 12 o'clock, rotate the crown to align them correctly.

5. Press (C).


Confirm that the mode hand is stopped at 12 o'clock.



6. If the mode hand is not at 12 o'clock, rotate the crown to align it correctly.

7. Press (C).

Confirm that the day indicator shows 1.



8. If 1 is not shown for the day, rotate the crown until 1 is shown.

9. Push the crown back in.

**Note**

- Leaving the crown pulled out for more than approximately 30 minutes without performing any operation will automatically cause the adjustment operation to become disabled. If this happens, push the crown back in to its normal position and then pull it out again to restart the procedure from the beginning. Pushing the crown in to its normal position part way through the alignment procedure will cause the hands to return to their normal position. Any alignment you performed up to that point will be applied.


## Moving To Another Time Zone

Use the procedure below to easily change day and time settings of the watch to a destination location.

- Any time you perform a GPS signal receive operation, the watch may try to acquire leap second information. A leap second information receive operation can take as long as 13 minutes. Make sure the watch is sufficiently charged before performing a GPS signal receive operation after you arrive at your destination.

● **Prior to Takeoff**

- Enter the watch's Airplane Mode when instructed to do so by airline personnel.



● **After Arriving**

- Exit the Airplane Mode.
- Perform a GPS signal position acquisition operation, which will adjust the watch's time setting to your current location.



[Using the Watch on an Aircraft](#)

[Acquiring GPS Position Information Manually](#)

## Other Information

### City (Time Zone) List

A time zone for which no city name is displayed by the watch is indicated in the table below by a hyphen (-) in the "City Code" column. The "City Name" column will contain the name of a representative city in that zone.

City code	City Name	Second Hand Position	UTC Offset
UTC	Coordinated Universal Time	Second 0	0
LON	London	Second 2	0
PAR	Paris	Second 4	+1
ATH	Athens	Second 6	+2
JED	Jeddah	Second 8	+3
-	(Tehran)	Second 9	+3.5
DXB	Dubai	Second 10	+4
-	(Kabul)	Second 11	+4.5
-	(Karachi)	Second 12	+5
DEL	Delhi	Second 13	+5.5
-	(Kathmandu)	Second 14	+5.75
DAC	Dhaka	Second 15	+6
-	(Yangon)	Second 16	+6.5
BKK	Bangkok	Second 17	+7
HKG	Hong Kong	Second 19	+8
-	(Eucla)	Second 21	+8.75
TYO	Tokyo	Second 22	+9
-	(Adelaide)	Second 23	+9.5
SYD	Sydney	Second 24	+10
-	(Lord Howe Island)	Second 25	+10.5

City code	City Name	Second Hand Position	UTC Offset
NOU	Noumea	Second 26	+11
-	(Norfolk Island)	Second 27	+11.5
WLG	Wellington	Second 28	+12
-	(Chatham Islands)	Second 30	+12.75
TBU	Nuku'alofa	Second 31	+13
CXI	Kiritimati	Second 33	+14
BAR	Baker Island	Second 36	-12
PPG	Pago Pago	Second 38	-11
HNL	Honolulu	Second 40	-10
-	(Marquesas Islands)	Second 41	-9.5
ANC	Anchorage	Second 42	-9
LAX	Los Angeles	Second 44	-8
DEN	Denver	Second 46	-7
CHI	Chicago	Second 48	-6
NYC	New York	Second 50	-5
-	(Venezuela)	Second 51	-4.5
SCL	Santiago	Second 52	-4
-	(St. John's)	Second 53	-3.5
RIO	Rio de Janeiro	Second 54	-3
FEN	Fernando de Noronha	Second 55	-2
RAI	Praia	Second 56	-1

• The contents of the above table are current as of December 2013.

## Summer Time Table

When "AT (AUTO)" is selected for a city that observes summer time, switching between standard time and summer time will be performed automatically at the timing shown in the table below.

### Note

- If the summer time start and end dates for your current location have been changed from those indicated in the table, you will need switch between "STD" and "DST" manually.
- In the case of a time zone for which no city name is displayed, you can automatically switch between standard time and summer time by acquiring GPS position information.

City Name	Summer Time Start	Summer Time End
London	1:00 a.m., last Sunday in March	2:00 a.m., last Sunday in October
Paris	2:00 a.m., last Sunday in March	3:00 a.m., last Sunday in October
Athens	3:00 a.m., last Sunday in March	4:00 a.m., last Sunday in October
Sydney	2:00 a.m., first Sunday in October	3:00 a.m., first Sunday in April
Wellington	2:00 a.m., last Sunday in September	3:00 a.m., first Sunday in April
Anchorage	2:00 a.m., second Sunday in March	2:00 a.m., first Sunday in November
Los Angeles	2:00 a.m., second Sunday in March	2:00 a.m., first Sunday in November
Denver	2:00 a.m., second Sunday in March	2:00 a.m., first Sunday in November
Chicago	2:00 a.m., second Sunday in March	2:00 a.m., first Sunday in November
New York	2:00 a.m., second Sunday in March	2:00 a.m., first Sunday in November
Santiago	Midnight, end of second Saturday in October	Midnight, end of second Saturday in March
Rio de Janeiro	Midnight, start of third Sunday in October	Midnight, start of third Sunday in February, or midnight, start of fourth Sunday in February

• The contents of the above table are current as of December 2013.

## Function Limitations

### • How temperature affects watch functions

This functions below are disabled while the temperature of the watch is less than approximately -10°C (14°F) or greater than approximately 60°C (140°F).

- GPS signal and time calibration signal receive operation
- Solar charging
- Hand and day indicator alignment adjustment

## Troubleshooting

### Signal Reception (GPS)

**Q1** The watch cannot perform a receive operation.

Is the watch's battery charged?

Signal reception is not possible while battery power is low. Keep the watch exposed to light until it recharges sufficiently.

YES ↓

Is the watch in the Timekeeping Mode (not Airplane Mode)?

Signal reception is not possible while the watch is in the Stopwatch Mode or Airplane Mode. Enter the Timekeeping Mode (not Airplane Mode).

YES ↓

After checking the above, the watch still cannot perform a receive operation.

GPS signal reception is not possible under the conditions described below.

- During power saving
- While the crown is pulled out
- While the watch temperature is less than approximately -10°C (14°F) or more than approximately 60°C (140°F)

**Q2** The second hand remains at "T+P" or "T (TIME)" during the signal receive operation.

The watch may be receiving leap second information.

[Leap seconds](#)

**Q3** The signal receive operation always fails.

Is the watch in a location that is appropriate for signal reception?

Check your surroundings and move the watch to a location where signal reception is better.

🔗 [Appropriate Signal Reception Location](#)

YES ↓

Is the face of the watch pointed straight upwards at the sky?

Minimize movement of the watch while the receive operation is in progress.

When the watch is set up for auto receive, take care to avoid covering the watch face with the sleeve of your clothing.

**Q4** Signal reception should have been successful, but the watch's time and/or day is wrong.

Is your Home City (time zone) setting correct for your location?

Change your Home City (time zone) setting so it correctly indicates your location.

🔗 [Acquiring GPS Position Information Manually](#)

YES ↓

🔗 [Selecting a Time Zone](#)

After checking the above, the time and/or day settings is still wrong.

Adjust time and day settings manually.

## Signal Reception (Time Calibration Signal)

**Q1** The watch cannot perform a receive operation.

Is the watch's battery charged?

Signals reception is not possible while battery power is low. Keep the watch exposed to light until it recharges sufficiently.

YES ↓

Is the watch in the Timekeeping Mode (not Airplane Mode)?

Signal reception is not possible while the watch is in the Stopwatch Mode or Airplane Mode. Enter the Timekeeping Mode (not Airplane Mode).

YES ↓

Is your Home City (time zone) setting correct for your location?

The watch will not indicate the correct time if the Home City (time zone) setting is wrong. Change your Home City (time zone) setting so it correctly indicates your location.

🔗 [Acquiring GPS Position Information Manually](#)

YES ↓

🔗 [Selecting a Time Zone](#)

After checking the above, the watch still cannot perform a receive operation.

Time calibration signal reception is not possible under the conditions described below.

- When watch is at Level 2 power saving
- When the crown is pulled out
- While the watch temperature is less than approximately -10°C (14°F) or more than approximately 60°C (140°F)

If successful reception is not possible for some reason, you can adjust the time and day settings manually.

**Q2** The signal receive operation always fails.

Is the watch in a location that is appropriate for signal reception?

Check your surroundings and move the watch to a location where signal reception is better.

🔗 [Appropriate Signal Reception Location](#)

YES ↓

Did you avoid touching the watch while the receive operation was in progress?

Minimize movement of the watch and do not perform any watch operations while a receive operation is in progress.

YES ↓

Is the signal transmitter in your area transmitting a signal?

The transmitter of the time calibration may not be transmitting a signal.  
Try again later.

## Hand Movement and Indications

**Q1** I don't know what mode the watch is in.

Hold down (C) for at least two seconds to return to the Timekeeping Mode.

- Take care not to hold down the (C) button too long. Holding down the (C) button for about four seconds will enter or exit the Airplane Mode.

🔗 [Navigating Between Modes](#)



**Q2** The second hand is jumping at two-second or five-second intervals.

Battery power is low. Keep the watch exposed to light until it recharges sufficiently.

 [Charging the Watch](#)

**Q3** All hands are stopped and buttons do not work.

The battery is dead. Keep the watch exposed to light until it recharges sufficiently.

 [Charging the Watch](#)

**Q4** The hands suddenly start moving at high speed.

This is due to one of the reasons below, and does not indicate malfunction. Simply wait until normal hand movement resumes.

- The watch is recovering from a power saving state.

 [Power Saving Function](#)

- The hands are moving to their new positions following a GPS signal or time calibration signal receive operation.

 [Time Adjustment \(GPS, Time Calibration Signal\)](#)

**Q5** Hands are stopped and buttons do not work.

The watch is in the charge recovery mode. Wait until the recovery process is complete (for about 15 minutes). The watch will recover more quickly if you place it in a brightly lit location.

**Q6** The current time displayed by the watch is off by a few hours.

The city (time zone) setting is not correct. Select the correct setting.

 [Acquiring GPS Position Information Manually](#)

 [Selecting a Time Zone](#)

**Q7** The current time indicated by the watch is off by one hour or 30 minutes


The summer time setting is not correct. Select the correct setting.

 [Acquiring GPS Position Information Manually](#)

 [Selecting a Time Zone](#)

**Q8** Hands and/or the day indicator is out of alignment.

Strong magnetism or impact may cause the hands of the watch to go out of alignment. Correct hand position alignment.

 [Adjusting Hand and Day Indicator Alignment](#)

## **Crown Operations**

**Q1** Nothing happens when I rotate the crown.

If you do not perform any operation for about two minutes after pulling out the crown (approximately 30 minutes in the case of hand and day indicator alignment operations), crown operations will automatically become disabled. Push the crown back in to its normal position and then pull it out again.

 [Using the Crown](#)

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>