



Birmingham™

Masonry-Style Woodburning Fireplace



BIR42 shown with Fireside Furnishings™ Harbor surround
and Grand Oak gas log set Download from www.somanuals.com. All Manuals Search And Dow

heatilator[®]
The first name in fireplaces

The true look and value of a masonry fireplace at a fraction of the cost

The Birmingham™ provides you with the best overall value for a masonry-style woodburning fireplace.

- Absolutely no exposed sheet metal
- Available in 2 sizes:
 - 42" wide opening
 - 50" wide opening
- Quick and simple to install
- Choice of traditional or herringbone molded brick panels
- Optional mesh screen doors or bi-fold glass doors are available in black or bronze
- Two standard outside air kits contribute to combustion air
- Tested and listed to UL 127 standard



BIR50 shown with Birmingham mesh screen doors, Grand Oak Gas Logs and Fireside Furnishings™ Covington mantel shelf



The transition from refractory to the exterior surround is seamless



Traditional Molded Brick Panel




Herringbone Molded Brick Panel

Models

Fireplaces	BIR42	42" masonry-style woodburning fireplace
	BIR50	50" masonry-style woodburning fireplace


Molded Brick Panels	MMTB42	42" Traditional molded brick panels, mortar included
	MMTH42	42" Herringbone molded brick panels, mortar included
	MMTB50	50" Traditional molded brick panels, mortar included
	MMTH50	50" Herringbone molded brick panels, mortar included

Product Dimensions




Model	A	B	C	D
BIR42	42"	52-7/8"	37-1/8"	97-1/2"*
BIR50	50"	60-7/8"	45-1/8"	N/A

*Transition collar included on BIR42 only




Product Framing Dimensions



Model	A	B	C	D
BIR42	53-7/8"	28-3/8"	74-1/2"	12"
BIR50	61-7/8"	28-3/8"	74-1/2"	12"

Appliance Location



NOTE: Both outside air kits **MUST** be installed.

Model	A	B	C	D	E	F	G	H
BIR42	77-7/8"	53-7/8"	95-1/4"	47-5/8"	22-1/2"	67-3/8"	28-3/8"	84"
BIR50	85-7/8"	61-7/8"	103-1/4"	51-5/8"	25-1/4"	73"	29-3/8"	92"


Birmingham Woodburning Fireplace

Options*

Doors



Operable Bi-fold Glass Doors
DFG4042/DFG4050(BK/BZ)




Operable Mesh Screen Doors
DFS4042/DFS4050(BK/BZ)

Finishes

Finish options shown here available for the Birmingham glass and mesh screen doors



Black (BK)



Bronze (BZ)

Venting

BIR42 SL1100 Series

BIR50 Requires 14" Dura-Vent
DuraChimney II



Grand Oak Gas Logs
GO35/40MTCH
GO35/40SP-REM-NG/LP
GO35/40-IPI-NG/LP



Harbor Cast Surround
HARBOR42/50SSH

AVAILABLE FROM

heatilator[®]
The first name in fireplaces

a brand of Hearth & Home Technologies Inc.

1915 West Saunders Street • Mt. Pleasant, Iowa 52641
800-927-6841 • heatilator.com

The information provided in this literature is for planning purposes only. Please consult the installation manual for actual installation. Actual product appearance may differ from product images.

*For a complete list of options, please consult the Heatilator MSRP book.

HTL-1056U-0608

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>